

REMUS

 **REMUS**®
PERFORMANCE SPORT EXHAUSTS

NEW DEVELOPMENT 2023 | #12

Hyundai i20 N Performance, Type BC3, 06/2021=>

1.6l Turbo 150 kW (G4FV, with GPF)

AXLE-BACK-SYSTEM EC-APPROVED

POWER

+ 4,2 HP

@ 4500 rpm

TORQUE

+ 7,3 NM

@ 4500 rpm

WEIGHT

-1,2 KG

AVAILABLE FOR ORDER NOW (READY FOR
DELIVERY IN CALENDAR WEEK 42)

REMUS

Hyundai i20 N Performance, Type BC3, 06/2021=>

1.6l Turbo 150 kW (G4FV, with GPF)

ABOUT

Axle-Back-System: 280023 0500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!

RACING-Axle-Back-System: 281023 0500 (No EC-type approval) + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!

The use of racing products and products that do not have EC approval is not permitted on public roads.

When installing REMUS sports silencers, cat-back systems and cat replacement pipes designed for use on closed tracks, it is advantageous to carry out an ECU remapping in order to exploit the optimum performance of the exhaust system and to prevent any illumination of the engine control light.

When using the GPF replacement pipe, the lambda probes must be unplugged and stripped. No blind connections available! In addition, when installing the optional OPF replacement tube, the GPF must be deactivated in the engine control unit or the engine control unit must be reprogrammed (ECU remapping), otherwise the engine control light will illuminate. A better performance as well as throttle response is also achieved by this!

280023 0500

Sport exhaust centered (reflection principle), right side

incl. mounting material

Connection to front parts at the manufacturer connection point

Installation/fitting at the serial mounting points

Original tube Ø 60 mm - REMUS tube Ø 60 mm

incl. EC type approval

785,-

281023 0500

Racing sport exhaust centered (absorption principle), right side

incl. mounting material

Connection to front parts at the manufacturer connection point

Installation/fitting at the serial mounting points

Original tube Ø 60 mm - REMUS tube Ø 60 mm

No EC type approval

730,-



0026 55SR

Stainless steel tail pipe set

2 tail pipes Ø 84 mm angled, rolled edge, chromed, with adjustable spherical clamp connection

186,-



0026 83CBR

Stainless steel tail pipe set

2 tail pipes Ø 84 mm Street Race Black Chrome, straight, carbon insert, with adjustable spherical clamp connection

254,-



0026 83CR

Stainless steel tail pipe set

2 tail pipes Ø 84 mm Street Race, straight, carbon insert, with adjustable spherical clamp connection

226,-



0026 83CTSR

Carbon tail pipe set

2 tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection

448,-




0026 83CSR

Stainless steel tail pipe set

2 tail pipes Ø 84 mm Carbon Race, angled, carbon ring, with adjustable spherical clamp connection

234,-

Hyundai i20 N Performance, Type BC3, 06/2021=> 1.6l Turbo 150 kW (G4FV, with GPF)



THE SOUND OF **REMUS**®

FIRST CLASS QUALITY DESIGNED & BUILT IN EUROPE | AUSTRIA

www.remus.eu

 [remus.sportexhaust](https://www.instagram.com/remus.sportexhaust)

 **REMUS Innovation GmbH**
Ruhmannstraße 11
A-8570 Voitsberg